

Message

From: Ichinotsubo, Lene K [lene.ichinotsubo@doh.hawaii.gov]
Sent: 8/23/2021 10:22:42 PM
To: Frame, Darrel E CDR USN NAVFAC HAWAII PEARL (USA) [darrel.e.frame@navy.mil]
CC: Myers, Hugh [hugh.myers@doh.hawaii.gov]; roxanne.kwan@doh.hawaii.gov; Carvalho, Gabriela [Carvalho.gabriela@epa.gov]
Subject: CIR Schedule, Tanks 13, 14, and 17
Attachments: Red Hill AOC TIRM Decision Document_Page 77.pdf; enclosure (3) - Red Hill Tanks CIR Schedule a.pdf

Hi Darryl,

Thanks for the update in today's call. The 18-month estimate for CIR that I mentioned this morning was based on the approved April 2017 TIRM Document. In relooking at this April 2017 schedule, the estimate is slightly higher than I mentioned and I should have said less than 2 years for the current three tanks (13, 14, and 17) to be more accurate. I understand that Tanks 14 and 17 were out of service from 2016, and Tank 13 from 2017.

Historically, Adm. Fort would update the Director regarding status of the maintenance on these tanks, so we understand that some of the delays are related to the increased number repairs, and was wondering if we could discuss what is happening in the inspection and repair process to warrant the extended repair period, and delay to subsequent inspections of other tanks by up to nine years from the original 2017 estimated inspection dates.

I've asked Hugh to see if we can schedule a meeting with you to discuss this further.

By the way, the RTS date for Tank 17 that was provided last week as part of the RFI response (attached) noted that Tank 17 was to return to service in July 2021. Did I hear correctly today, that the new RTS date is August 2027?

Thanks,

Lene Ichinotsubo
Solid and Hazardous Waste Branch
State of Hawaii | Department of Health | 2827 Waimano Home Road, #100 | Pearl City, HI 96782
Phone: (808)586-4226 | <http://health.hawaii.gov/shwb/solid-waste/>

Notice: This information and attachments are intended only for the use of the individual(s) or entity to which it is addressed and may contain information that is privileged and/or confidential. If the reader of this message is not the intended recipient, any dissemination, distribution, or copying of this communication is strictly prohibited and may be punishable under state and federal law. If you received this communication and/or attachments in error, please notify the sender via email immediately and destroy all electronic and paper copies.